

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	(@ad<"20011227" @rlad<"20011227") and sequencer same desequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:35
L5	0	(@ad<"20011227" @rlad<"20011227") and (command transaction) and sequencer and desequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:24
L6	7409	(@ad<"20011227" @rlad<"20011227") and (command transaction) and sequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:24
L7	3200	(@ad<"20011227" @rlad<"20011227") and (command transaction) same sequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:25
L8	0	7 and desequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:25
L9	148	7 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:25
L10	22	9 and (tag identifier) with (command transaction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:33
L11	3	(@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with order with (tag identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:31
L12	98	(@ad<"20011227" @rlad<"20011227") and assembl\$2 and re\$1assembl\$2 and PCI and (command transaction) with order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:50

EAST Search History

L13	98	12 and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:42
L14	66	13 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:35
L15	21	14 and sequence with (command transaction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:36
L16	50	14 and (command transaction) same (tag identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:42
L17	20	15 and (command transaction) same (tag identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:36
L18	2	13 and (command transaction) with (tag identifier) with order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:46
L19	1	12 and 710/5-7,58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:46
L20	441	(@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:51
L21	4	(@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with (identifier tag) and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:54
L22	8	(@ad<"20011227" @rlad<"20011227") and (separate parse) with (command transaction) with (identifier tag) and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:54

EAST Search History

L23	4	22 not 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:55
L24	0	(@ad<"20011227" @rlad<"20011227") and ordered adj transaction with tag adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 09:59
L25	0	(@ad<"20011227" @rlad<"20011227") and ordered adj transaction same tag adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 09:59
L26	1	(@ad<"20011227" @rlad<"20011227") and ordered adj transaction same (tag identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 10:03
L27	0	26 and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 09:59
L28	2	(@ad<"20011227" @rlad<"20011227") and ordered adj transaction and (sequence order) adj (tag identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 10:01
L29	17	(@ad<"20011227" @rlad<"20011227") and sequence adj identifier and PCI and "710"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 10:05
L30	16	29 and order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 10:03
L32	0	(@ad<"20011227" @rlad<"20011227") and sequence adj identifier same order same router and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 10:05
S1	14	reordering adj transactions and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:08

EAST Search History

S2	12	S1 and queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S4	35	ordered adj queues and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:54
S14	0	reordering adj transactions and @ad<"20011227" and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:09
S15	0	@ad<"20011227" and sequence adj identifier and order adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:09
S16	3	@ad<"20011227" and router and transaction near id near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:12
S17	20	@ad<"20011227" and router and transaction near ordering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S18	0	@ad<"20011227" and router and transaction near ordering near sort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:13
S19	181	@ad<"20011227" and queue adj pair\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S20	0	S19 and sequence adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:18
S21	86	S19 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:19

EAST Search History

S22	6	S21 and transaction near id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:24
S23	0	S19 and separate near queue adj pair\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:25
S24	0	S19 and separate near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:25
S25	0	S19 and separate near command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26
S26	0	S19 and separate near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26
S27	0	S19 and S21 and PCI near orders\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:26
S28	26	S19 and S21 and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:33
S29	35	@aD<"20011227" and ordered adj queues	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:33
S30	1	S29 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:43
S31	8	("6754751" "5805839" "6108741" "5930485").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:46

EAST Search History

S32	8	("6754751" "5805839" "6108741" "5930485").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:47
S33	0	S32 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:47
S34	38	ordered adj sequence and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:50
S35	18	S34 and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:48
S36	0	S35 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:48
S37	1	@ad<"20011227" and ordered adj queue and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S38	72	Willke.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:54
S39	58	S38 not intel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:54
S40	0	S39 and ordered near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55
S41	0	S39 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55

EAST Search History

S42	9	S39 and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:55
S43	3510	chipset and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56
S44	332	S43 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56
S45	0	S44 and order near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:56
S46	148	S44 and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:57
S47	0	S46 and transaction near ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 15:57
S48	3	S46 and ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:00
S49	0	@ad<"20011227" and ordered same queue same identifier same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:01
S50	0	@ad<"20011227" and ordered adj queue same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:04
S51	6	("6405276" "6513090" "6618782").pn. and @ad<"20011227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:05

EAST Search History

S52	1	S51 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:11
S53	0	S51 and router and ordered near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:11
S54	1	S51 and router and order\$2 same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:55
S55	0	@ad<"20011227" and queue adj pair same separate same transaction adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:17
S56	0	@ad<"20011227" and queue adj pair same separate same sequence adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:17
S57	0	@ad<"20011227" and queue adj pair same separate same order adj id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:40
S58	0	@ad<"20011227" and queue adj priority and ordered adj transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:55
S59	118	@ad<"20011227" and queue adj priority and order\$2 same transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:56
S60	15	@ad<"20011227" and separate adj queue;same priority same id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 16:57
S61	187	@ad<"20011227" and ordered adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00

EAST Search History

S62	58589	S61 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S63	14	S61 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:00
S64	2043	@ad<"20011227" and 710/52-57. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:01
S65	30	S64 and separate adj buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:05
S66	0	@ad<"20011227" and separate near different near buffer and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:06
S67	146	@ad<"20011227" and separate same different same buffer and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:06
S68	58	S67 and id	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:12
S69	0	@ad<"20011227" and router and separate near priority near buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:11
S70	3	S68 and separate near buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:15
S71	0	S64 and router and separate adj priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:16

EAST Search History

S72	0	S64 and router and separate near priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:16
S73	65	S64 and router and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:17
S74	8	S73 and priority near queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:18
S75	2	S73 and separate near buffers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 17:18
S76	0	@ad<"20011227" and PCI and transaction adj ID and Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:43
S77	0	@ad<"20011227" and PCI near transaction near Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S78	0	@ad<"20011227" and PCI near transaction and Delay adj complete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S79	47	@ad<"20011227" and PCI near transaction and Delay adj complet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:41
S80	2	S79 and label near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:43
S81	23	@ad<"20011227" and PCI and transaction adj label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:49

EAST Search History

S82	0	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:50
S83	0	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:51
S84	4	@ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:54
S85	11	@ad<"20011227" and transaction adj ordering near PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55
S86	0	@ad<"20011227" and transaction adj ordering near PCI and label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55
S87	0	@ad<"20011227" and transaction adj ordering near PCI and transaction near identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:55
S94	1301	(@ad<"20011227" @rlad<"20011227") and sequence adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:01
S95	91	(@ad<"20011227" @rlad<"20011227") and sequence adj identifier and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:55
S96	89	S95 and order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:55
S97	0	(@ad<"20011227" @rlad<"20011227") and sequence adj identifier same PCI same order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:56

EAST Search History

S98	31	(@ad<"20011227" @rlad<"20011227") and identifier\$ same PCI same order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:56
S99	7	S98 and (combin\$5 merge) same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:58
S10 0	7	S98 and (combin\$5 merge) same identifier\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:58
S10 1	7	S98 and (combin\$5 merge align\$) same identifier\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:59
S10 2	31	S98 and (combin\$5 merge align\$ order\$) same identifier\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:59
S10 3	0	(@ad<"20011227" @rlad<"20011227") and PCI same command same schedul\$4 same order\$ same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:00
S10 4	40	(@ad<"20011227" @rlad<"20011227") and transaction adj order\$ same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:23
S10 5	80	(@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:39
S10 6	58	S105 and sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:02
S10 7	58	S106 and (combin\$5 merge align\$ order\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:03

EAST Search History

S108	7	S107 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:03
S109	570	(@ad<"20011227" @rlad<"20011227") and transaction adj order\$ and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 14:12
S110	12	S109 and sequence adj identif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:39
S111	52	(@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:53
S112	26	(@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with bridge with PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:42
S113	13	(@ad<"20011227" @rlad<"20011227") and transaction with order\$ with (multiple plural\$3 both two) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 08:46
S114	2	(@ad<"20011227" @rlad<"20011227") and transaction with order\$ with (multiple plural\$3 both two) adj device with (chronolog\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 08:49
S115	8	(@ad<"20011227" @rlad<"20011227") and transaction with order\$ same (chronolog\$5) same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 08:52
S116	0	(@ad<"20011227" @rlad<"20011227") and command with order\$ same (chronolog\$5) same identifier same PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 08:52
S117	0	(@ad<"20011227" @rlad<"20011227") and command with order\$ same identifier same PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 08:52

EAST Search History

S11 8	4	(@ad<"20011227" @rlad<"20011227") and command same order\$ same identifier same PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 09:57
S11 9	2034	(@ad<"20011227" @rlad<"20011227") and 710/5-7, 58-61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:53
S12 0	67	S119 and order\$ with PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:54
S12 1	15	S119 and (transaction command) with order\$ with PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:55
S12 2	0	S119 and (transaction command) with order\$ with PCI with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:01
S12 3	0	S119 and (transaction command) with order\$ with PCI same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:54
S12 4	420	S119 and (transaction command) with order\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:55
S12 5	10	S124 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 08:56
S12 6	0	S119 and (transaction command) with order\$ with PCI with (tag identifier label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:01
S12 7	1	("6690676").URPN.	USPAT	OR	OFF	2006/08/17 09:05